

I NOSTRI PRODOTTI

C A R B U R O

CILINDRI PIENI

Cilindri grezzi L. 330



Cilindri grezzi L. 330

Diametro		Lunghezza		Grado						
D(mm)	Tolleranza	L(mm)	Tolleranza	ST20F	ST10F	ST25F	ST15D	ST11F	ST12F	ST12NF
1.5	+0.2~+0.4	310/330	+2.0~+6.0	○	○	○	○	○	○	○
2.0	+0.2~+0.4	310/330	+2.0~+6.0	○	○	○	○	○	○	○
2.5	+0.2~+0.4	310/330	+2.0~+6.0	○	○	○	○	○	○	○
3.0	+0.2~+0.4	310/330	+2.0~+6.0	●	○	○	○	○	○	○
3.5	+0.2~+0.4	310/330	+2.0~+6.0	○	○	○	○	○	○	○
4.0	+0.2~+0.4	310/330	+2.0~+6.0	●	○	○	○	○	○	○
4.5	+0.2~+0.4	310/330	+2.0~+6.0	○	○	○	○	○	○	○
5.0	+0.2~+0.4	310/330	+2.0~+6.0	●	○	○	○	○	○	○
5.5	+0.2~+0.4	310/330	+2.0~+6.0	○	○	○	○	○	○	○
6.0	+0.2~+0.4	310/330	+2.0~+6.0	●	○	○	○	○	○	○
6.5	+0.3~+0.55	310/330	+2.0~+6.0	○	○	○	○	○	○	○
7.0	+0.3~+0.55	310/330	+2.0~+6.0	●	○	○	○	○	○	○
7.5	+0.3~+0.55	310/330	+2.0~+6.0	○	○	○	○	○	○	○
8.0	+0.3~+0.55	310/330	+2.0~+6.0	●	○	○	○	○	○	○
8.5	+0.3~+0.55	310/330	+2.0~+6.0	○	○	○	○	○	○	○
9.0	+0.3~+0.55	310/330	+2.0~+6.0	●	○	○	○	○	○	○
9.5	+0.3~+0.55	310/330	+2.0~+6.0	○	○	○	○	○	○	○
10.0	+0.3~+0.55	310/330	+2.0~+6.0	●	○	○	○	○	○	○
10.5	+0.3~+0.55	310/330	+2.0~+6.0	○	○	○	○	○	○	○
11.0	+0.3~+0.55	310/330	+2.0~+6.0	●	○	○	○	○	○	○
12.0	+0.3~+0.55	310/330	+2.0~+6.0	●	○	○	○	○	○	○
13.0	+0.3~+0.65	310/330	+2.0~+6.0	●	○	○	○	○	○	○
14.0	+0.3~+0.65	310/330	+2.0~+6.0	●	○	○	○	○	○	○
15.0	+0.3~+0.65	310/330	+2.0~+6.0	●	○	○	○	○	○	○
16.0	+0.3~+0.65	310/330	+2.0~+6.0	●	○	○	○	○	○	○
17.0	+0.4~+0.8	310/330	+2.0~+6.0	●	○	○	○	○	○	○
18.0	+0.4~+0.8	310/330	+2.0~+6.0	●	○	○	○	○	○	○
19.0	+0.4~+0.8	310/330	+2.0~+6.0	●	○	○	○	○	○	○
20.0	+0.4~+0.8	310/330	+2.0~+6.0	●	○	○	○	○	○	○
21.0	+0.5~+0.9	310/330	+2.0~+6.0	●	○	○	○	○	○	○
22.0	+0.5~+0.9	310/330	+2.0~+6.0	●	○	○	○	○	○	○
23.0	+0.5~+0.9	310/330	+2.0~+6.0	○	○	○	○	○	○	○
24.0	+0.5~+0.9	310/330	+2.0~+6.0	●	○	○	○	○	○	○
25.0	+0.5~+0.9	310/330	+2.0~+6.0	●	○	○	○	○	○	○
26.0	+0.5~+0.9	310/330	+2.0~+6.0	●	○	○	○	○	○	○
27.0	+0.5~+0.9	310/330	+2.0~+6.0	○	○	○	○	○	○	○
28.0	+0.5~+0.9	310/330	+2.0~+6.0	●	○	○	○	○	○	○
29.0	+0.5~+0.9	310/330	+2.0~+6.0	○	○	○	○	○	○	○
30.0	+0.5~+0.9	310/330	+2.0~+6.0	●	○	○	○	○	○	○
32.0	+0.5~+0.9	310/330	+2.0~+6.0	●	○	○	○	○	○	○

●Disponibili a magazzino ○Disponibili a richiesta

