



I NOSTRI PRODOTTI

C A R B U R O

CILINDRI PIENI

Cilindri rettificati L. 330





Cilindri rettificati L. 330

| Diametro | | Lunghezza | | Grado | | | | | | |
|----------|------------|-----------|------------|-------|-------|-------|-------|-------|-------|--------|
| D(mm) | Tolleranza | L(mm) | Tolleranza | ST20F | ST10F | ST25F | ST15D | ST11F | ST12F | ST12NF |
| 1.5 | h5 | 310/330 | +2.0~+6.0 | ● | ○ | ○ | ○ | ○ | ○ | ○ |
| 2.0 | h5 | 310/330 | +2.0~+6.0 | ● | ○ | ○ | ○ | ○ | ○ | ○ |
| 2.5 | h5 | 310/330 | +2.0~+6.0 | ● | ○ | ○ | ○ | ○ | ○ | ○ |
| 3.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 3.5 | h5 | 310/330 | +2.0~+6.0 | ● | ○ | ○ | ○ | ○ | ○ | ○ |
| 4.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 4.5 | h5 | 310/330 | +2.0~+6.0 | ● | ○ | ○ | ○ | ○ | ○ | ○ |
| 5.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 5.5 | h5 | 310/330 | +2.0~+6.0 | ● | ○ | ○ | ○ | ○ | ○ | ○ |
| 6.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 6.5 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 7.0 | h5 | 310/330 | +2.0~+6.0 | ● | ○ | ○ | ○ | ○ | ○ | ○ |
| 7.5 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 8.0 | h5 | 310/330 | +2.0~+6.0 | ● | ○ | ○ | ○ | ○ | ○ | ○ |
| 8.5 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 9.0 | h5 | 310/330 | +2.0~+6.0 | ● | ○ | ○ | ○ | ○ | ○ | ○ |
| 9.5 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 10.0 | h5 | 310/330 | +2.0~+6.0 | ● | ○ | ○ | ○ | ○ | ○ | ○ |
| 10.5 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 11.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 12.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 13.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 14.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 15.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 16.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 17.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 18.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 19.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 20.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 21.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 22.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 23.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 24.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 25.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 26.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 27.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 28.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 29.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 30.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |
| 32.0 | h5 | 310/330 | +2.0~+6.0 | ● | ● | ● | ○ | ○ | ○ | ○ |

●Disponibili a magazzino ○Disponibili a richiesta

Cilindri rettificati L. 330 - pollici



Cilindri rettificati L. 330 - pollici

| Diametro | | Lunghezza | | Grado | | |
|----------|------------|-----------|-------------|-------|-------|-------|
| D(inch) | Tolleranza | L(inch) | Tolleranza | ST20F | ST25F | ST12F |
| 1/8 | h5 | 13-1/14 | +0.08~+0.24 | ● | ○ | ○ |
| 3/16 | h5 | 13-1/14 | +0.08~+0.24 | ● | ○ | ○ |
| 1/4 | h5 | 13-1/14 | +0.08~+0.24 | ● | ○ | ○ |
| 5/16 | h5 | 13-1/14 | +0.08~+0.24 | ● | ○ | ○ |
| 3/8 | h5 | 13-1/14 | +0.08~+0.24 | ● | ○ | ○ |
| 7/16 | h5 | 13-1/14 | +0.08~+0.24 | ● | ○ | ○ |
| 1/2 | h5 | 13-1/14 | +0.08~+0.24 | ● | ○ | ○ |
| 9/16 | h5 | 13-1/14 | +0.08~+0.24 | ● | ○ | ○ |
| 5/8 | h5 | 13-1/14 | +0.08~+0.24 | ● | ○ | ○ |
| 11/16 | h5 | 13-1/14 | +0.08~+0.24 | ● | ○ | ○ |
| 3/4 | h5 | 13-1/14 | +0.08~+0.24 | ● | ○ | ○ |
| 7/8 | h5 | 13-1/14 | +0.08~+0.24 | ● | ○ | ○ |
| 15/16 | h5 | 13-1/14 | +0.08~+0.24 | ● | ○ | ○ |
| 1 | h5 | 13-1/14 | +0.08~+0.24 | ● | ○ | ○ |

●Disponibili a magazzino

○Disponibili a richiesta

