




I NOSTRI PRODOTTI

C A R B I D E

PREFORMATI

I PRODOTTI

Cilindri rettificati con testa sferica



Cilindri rettificati con testa sferica

D(mm)		L(mm)		C(mm)		SR	
6	h5	57	+1/0	0.5	±0.1	3.15	+0.38/0
8	h5	63	+1/0	0.6	±0.1	4.19	+0.38/0
10	h5	72	+1/0	0.6	±0.1	5.24	+0.38/0
12	h5	83	+1/0	0.8	±0.1	6.29	+0.38/0
12	h5	97	+1/0	0.8	±0.1	6.29	+0.38/0
14	h5	83	+1/0	0.8	±0.1	7.34	+0.38/0
14	h5	90	+1/0	0.8	±0.1	7.34	+0.38/0
14	h5	100	+1/0	0.8	±0.1	7.34	+0.38/0
16	h5	92	+1/0	0.8	±0.1	8.39	+0.38/0
16	h5	108	+1/0	0.8	±0.1	8.39	+0.38/0
16	h5	110	+1/0	0.8	±0.1	8.39	+0.38/0
18	h5	92	+1/0	0.8	±0.1	9.44	+0.38/0
18	h5	100	+1/0	0.8	±0.1	9.44	+0.38/0
18	h5	120	+1/0	0.8	±0.1	9.44	+0.38/0
20	h5	100	+1/0	1.0	±0.1	10.49	+0.38/0
20	h5	104	+1/0	1.0	±0.1	10.49	+0.38/0
20	h5	110	+1/0	1.0	±0.1	10.49	+0.38/0
20	h5	120	+1/0	1.0	±0.1	10.49	+0.38/0

● Disponibili a magazzino


○ Disponibili a richiesta



13.00

Mitutoyo

IP54 0-25mm



0.001mm
904619

